## Swarm Intelligence

## Class Exercises 4

## March 19, 2020

- 1. What is the inertia coefficient, and how is it related to exploration and exploitation?
- 2. What happens if we set  $\psi_1=0$  and  $\psi_2=1$ ? What happens if we instead set  $\psi_1=1$  and  $\psi_2=0$ ?
- 3. What is the purpose of the  $U_1$  and  $U_2$  matrices?
- 4. What is the role of topologies? What happens if a particle can communicate with all the rest of the swarm? What happens if it can instead communicate with only few other particles?
- 5. Assume you want to minimize the Rosenbrock function in  ${\cal N}=4$  dimensions

$$\sum_{i=1}^{N-1} 100 \times (x_{i+1} - x_i^2)^2 + (1 - x_i)^2 \tag{1}$$

when  $\omega=1$ ,  $\psi_1=1$  and  $\psi_2=2$ . At the current iteration, particle  $P_1$  has position [0.43, 1.25, -3.2, 2.4] with value 8546.17, and velocity [-0.8, 0.2, -1.2, 0.1]; the personal best is [1.2, 2.5, -2.1, 2.2] with value 7584.92 and the global best known by  $P_1$  in its neighbourhood is [1.4, 1.1, -0.4, 3.1] with value 1199.66. The diagonals of the matrices  $U_1$  and  $U_2$  are respectively [0.21, 0.43, 0.12, 0.84] and [0.63, 0.12, 0.92, 0.43]. Update velocity and position of  $P_1$ . What is the value of the solution now?